			φ°	1			2317\$
JC68			·	Attorney Do	cket No.: CYP	PR-CD01070	
2 5 2013 P	AMKGA					Const	
, E	N THE	UNITED STA	TES PATENT	AND TRA	ADEMARK	OFFICE	Con Cons
bearing Fin	rtify that this tra st Class Postag	nsmittal of the below des e and addressed to the (scribed document is beir Commissioner for Patent	ng deposited with the s P.O. Box 1450, A	e United States Po lexandria, VA 2231	stal Service in an enve 13-1450, on the below	Flope CALL COLLEGE
of deposit.							
Date of Deposit:	08/22/03	Name of Person Making the Deposit:	KATHERINE RINAL	DI Signature of t Making the D		herial RC	west

In re Application of: P. S. Mohandas and Anil Agarwal

Serial No.:

09/987,628

Examiner: Nguyen, K. V.

Filed: 11/15/01

Art Unit: 2817

For: HIGH-SPEED DIFFERENTIAL PREAMPLIFIER

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT TRANSMITTAL

1. Transmitted herewith is an amendment for this application

X	(10	ed herewith is a response to an office action for the above identified patent application. sheets) ed herewith are sheets of substitute formal drawings.
	Outlot.	
2.	Applica	ant is other than a small entity
		Extension of Term
3.	The pr	oceedings herein are for a patent application and the provisions of 37 C.F.R. 1.136 apply.
(a)	[X]	Applicant petitions for an extension of time under 37 C.F.R. 1.136 (fees: 37 C.F.R. 1.17(a)-(d) for the total number of months checked below:)
		Extension Fee I light month \$110.00

X I two months \$410.00] three months \$930.00 [] four months \$1,450.00

Fee \$410.00

If an additional extension of time is required, please consider this a petition therefor.

Applicant believes that no extension of term is required. However, this conditional petition is (b) [] being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition for extension of time.

00/95/2003 CCHAU1

00000167 09987628

6 10/3252

410.00 OP

Attorney Docket No.: CYPR-CD01070

Fee Calculation

4. The fee for claims (37 C.F.R. 1.16(b)-(d)) has been calculated as shown below:

(for other than a small entity)						
Fee Items	Claims Remaining After Amendment	Highest Number of Claims Previously Paid For	Present Extra Claims	Fee Rate	Total	
Total Claims	15	- 20 =	0	x \$18.00	\$0.00	
Independent Claims	4	- 4 =	0	x \$84.00	\$0.00	
Multiple Dependent Claim Fee (one or more, first added by this amendment) \$260.00						
Total Fees						

PAYMENT OF FEES

- 5. The full fee due in connection with this communication is provided as follows:
- [X] The Commissioner is hereby authorized to charge any additional fees associated with this communication or credit any overpayment to Deposit Account No.: 23-0085.
 A duplicate copy of this authorization is enclosed.
- [X] A check in the amount of \$410.00
- [] Charge any fees required or credit any overpayments associated with this filing to Deposit Account No.: 23-0085.

Please direct all correspondence concerning the above-identified application to the following address:


WAGNER, MURABITO & HAO LLP

Two North Market Street, Third Floor San Jose, California 95113 (408) 938-9060

Respectfully submitted,

Date: Hugusr 22, 2003

Mehlin Dean Matthews Reg. No. 46,127



PatentEIVED SEP-3 2599

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE CENTER 2800

In	re	Application	of	:)
		11)

Mohandas and Agarwal) Examiner: NGUYEN, K.V.

Serial No.: 09/987,628) Art Unit: 2817

)
Filed: 11/15/01)

)

For: HIGH-SPEED DIFFERENTIAL PREAMPLIFIER

AMENDMENT AND RESPONSE TO OFFICE ACTION

Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Serial No.: 09/987,628

Dear Sir:

In response to the Office Action mailed March 24, 2003, for the above captioned patent application, Applicants respectfully request entry of the following amendments and consideration of the following remarks.

Examiner: NGUYEN, K.V.

Art Unit: 2817

AMENDMENTS TO THE SPECIFICATION

There are no amendments to the specification accompanying this response.

Serial No.: 09/987,628 Examiner: NGUYEN, K.V.

Art Unit: 2817

AMENDMENTS TO THE DRAWINGS

There are no amendments to the drawings accompanying this response.

Serial No.: 09/987,628 Examiner: NGUYEN, K.V.

Art Unit: 2817